

(a) how many years back that surgical instruments were supplied to the Local Fund Dispensaries and Maternity Hospitals in Bangalore North Taluk and Devanahalli Taluk;

(b) whether Doctors have not reported that the present surgical instruments are old and unserviceable;

(c) when they would supply the said materials?

A.—Sri T. CHANNIAH (Minister for Public Health and Local Self-Government).—

(a) (1) Yelahanka—Instruments were supplied during 1932.

(2) Hesaraghatta—Opened during June 1954 only. Instruments have not yet been supplied.

(3) Devanahalli—Supplied during 1940 and replaced from time to time.

(4) L.F. Dispensary, Vijayapura—Supplied during 1942.

(5) Maternity Hospital, Vijayapura—Supplied during 1942.

(b) Yes.

(c) Orders for the supply of the instruments have been placed. As soon as the materials are received, the requirements of the several institutions will be met.

Well-works in Chiknaikanahalli Taluk.

Q.—569. Sri C. H. LINGADEVARU (Chiknaikanahalli).—

Will the Government be pleased to state :—

(a) the villages of Chiknayakanahalli Taluk in which there are no drinking water wells;

(b) the amount provided during the last three years for the said well works of this Taluk;

(c) (i) the number of well works completed within this period;

(ii) which are they;

(iii) the number of wells the works of which are incomplete?

A.—Sri T. CHANNIAH (Minister for Public Health and Local Self-Government).—

(a) Please see list appended.—

(b) 1951-52. 1952-53. 1953-54.

Rs. a. p.	Rs.	Rs.
3,631 5 0	17,500	7,600

(c) (i) 12.

(ii) 1. Aladakatte Ryots' well.

2. Do Gollars' well.

3. Do Lambani well.

4. Thammadihalli Ryots' well.

5. Kurihatti Ryots' well.

6. Dugadihalli Ryots' well.

7. Settikere Ryots' well.

8. Bhairalinganahalli Ryots' well.

9. Channaihanapalya Ryots' well.

10. Sadarahalli Ryots' well.

11. Aralakatte Ryots' well.

12. Sasalu Gollars' well.

(iii) 52.

List showing the villages in Chiknaikanahalli Taluk in which there are no drinking water wells.

- 1 Dasudi Village
- 2 Upparahalli Village
- 3 Halli Thimmalapura
- 4 Ashrihal
- 5 Molihalli
- 6 Bevinahalli
- 7 Bellara
- 8 Ramaghatta
- 9 Bheen asandra
- 10 Doddahallanahalli
- 11 Chikyennegere
- 12 Ramanahalli

- 13 Kamalapura
- 14 Badikegudlu
- 15 Kallenahalli
- 16 Agrahara
- 17 Tagachighatta
- 18 Maralahalladakaval
- 19 Salmanepalya (Malli)
- 20 Kodalagara
- 21 Thirthapura
- 22 Salakatte
- 23 Ajjigudde (Kemparayanahatti)
- 24 Salapura

(SRI T. CHANNIAH.)

List showing the villages in Chiknakanahalli Taluk in which there are no drinking water wells—*conold*.

25 Sala pura	32 Byadorahalli
26 Hanumanthanahalli	33 Upparahalli
27 Sondenahalli	34 Lakmagondanahalli
28 Devanadahosahalli	35 Tharmadihalli
29 Malligere	36 Kandikere
30 Belaguli	37 Madapura
31 Byadarahalli	38 Bhattarahalli

Dispensaries (Proposals to open in Chikmagalur District).

Q.—593. Sri Y. M. CHANDRA-SEKHARIAH (Kadur).—

Will the Government be pleased to state:—

(a) the number of hospitals they intend to sanction in Chikmagalur District;

(b) whether they have not received an application from Panchanahally in Kadur Taluk requesting for a Local Fund Dispensary;

(c) the steps taken by them in this behalf?

A.—Sri T. CHANNIAH (Minister for Public Health and Local Self-Government).—

(a) Representations have been received for the opening of dispensaries at the following places in Chikmagalur District:—

- 1 Krishnarajapet.
- 2 Shivane.
- 3 Panchanahalli.
- 4 Hosapate.
- 5 Sollapura.
- 6 Hulikere.

The question of opening dispensaries at Krishnarajapet, Shivane, Panchanahalli, Sollapura and Hulikere is under consideration.

(b) Yes.

(c) The request was examined, in consultation with the District Medical officer, Chikmagalur, who was of opinion that there was need for a dispensary at the place. He has reported that there were no suitable buildings for housing the dispensary. The question is deferred till suitable

buildings are made available permanently for the dispensary and for the staff to live in.

Water Supply to Hangala Village.

Q.—615. Sri H. K. SHIVARUDRAPPA (Gundlupet-Heggadadevanakote).—

Will the Government be pleased to State:—

(a) the arrangement made to supply water to the Hangala village, Gundlupet Taluk;

(b) whether the Hon'ble the Chief Minister has not given an assurance to get this done early?

A.—Sri T. CHANNIAH (Minister for Public Health and Local Self-Government).—

(a) No arrangement could be made as the Village Panchayet is not able to meet even a fraction of the estimate prepared to give water to the place or to meet the maintenance charges. The maintenance charges will get reduced if the village is electrified and an electric pump is installed. The question of electrification of the village is under consideration and this question will be taken up after electrification.

(b) No.

Central Malaria Control Scheme (inclusion of Arasikere Taluk).

Q.—652. Sri K. PANCHAKSHARIAH (Arasikere).—

Will the Government be pleased to state:—